Refine Search

Search Results -

Term	Documents
SSEA-4	220
SSEA-4S	0
SSEA4	63
SSEA4S	0
((SSEA4 OR SSEA-4) AND 4).PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD.	70
(L4 AND (SSEA-4 OR SSEA4)).PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD.	70

Database:

US Pre-Grant Publication Full-Text Database
US Patents Full-Text Database
US OCR Full-Text Database
EPO Abstracts Database
JPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins

Search:

L5

Refine Search

Recall Text 👄

Clear

Interrupt

Search History

DATE: Wednesday, June 14, 2006 Printable Copy Create Case

Set
Name
side by
side

Name
result set

DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; THES=ASSIGNEE; PLUR=YES; OP=AND

L4 and (SSEA-4 or SSEA4)

(placental or amniotic or chorionic) same (stem or totipotent or

the pluripotent or multipotential)

885

L4

L2 and SSEA-4

13

L3

(placental or amnioticor chorionic) same (stem or totipotent or pluripotent

 L2
 or multipotential)
 493
 L2

 L1
 Strom-Stephen-C\$.in.
 4
 L1

END OF SEARCH HISTORY

```
Welcome to DialogClassic Web(tm)
 Dialog level 05.11.05D
Last logoff: 13jun06 09:33:32
Logon file001 14jun06 16:36:59
          *** ANNOUNCEMENTS ***
NEW FILES RELEASED
***Regulatory Affairs Journals (File 183)
***Index Chemicus (File 302)
***Inspec (File 202)
RESUMED UPDATING
***File 141, Reader's Guide Abstracts
RELOADS COMPLETED
***File 516, D&B--Dun's Market Identifiers
***File 523, D&B European Dun's Market Identifiers
***File 531, American Business Directory
*** MEDLINE has been reloaded with the 2006 MeSH (Files 154 & 155)
*** The 2005 reload of the CLAIMS files (Files 340, 341, 942)
is now available online.
                              * * *
DATABASES REMOVED
***File 196, FINDEX
***File 468, Public Opinion Online (POLL)
 Chemical Structure Searching now available in Prous Science Drug
Data Report (F452), Prous Science Drugs of the Future (F453),
IMS R&D Focus (F445/955), Pharmaprojects (F128/928), Beilstein
Facts (F390), Derwent Chemistry Resource (F355) and Index Chemicus
(File 302).
 >>>For the latest news about Dialog products, services, content<<<
 >>>and events, please visit What's New from Dialog at <<<
 >>>http://www.dialog.com/whatsnew/. You can find news about<<<
 >>>a specific database by entering HELP NEWS <file number>.<<
>>>PROFILE is in a suspended state.
>>>Contact Dialog Customer Services to re-activate it.
 * * *
       1:ERIC 1966-2006/May
       (c) format only 2006 Dialog
      Set Items Description
Cost is in DialUnits
B 155, 5, 73
       14jun06 16:37:11 User259876 Session D885.1
            $0.84 0.241 DialUnits File1
     $0.84 Estimated cost File1
     $0.05 INTERNET
     $0.89 Estimated cost this search
     $0.89 Estimated total session cost
                                           0.241 DialUnits
SYSTEM:OS - DIALOG OneSearch
  File 155:MEDLINE(R) 1951-2006/Jun 14
         (c) format only 2006 Dialog
 *File 155: Please see HELP NEWS 154
for information about recent updates added to MEDLINE.
```

=

```
5:Biosis Previews(R) 1969-2006/Jun W2
  File
         (c) 2006 The Thomson Corporation
  File 73:EMBASE 1974-2006/Jun 13
         (c) 2006 Elsevier Science B.V.
      Set Items Description
S (PLACENTAL OR AMNIOTIC OR CHORIONIC) (S) (STEM OR TOTIPOTENT OR PLURIPOTENT OR MUL
          109889 PLACENTAL
           58175 AMNIOTIC
           98924 CHORIONIC
          414799 STEM
            1352 TOTIPOTENT
           11312 PLURIPOTENT
            4959 MULTIPOTENTIAL
      S1
            2275 (PLACENTAL OR AMNIOTIC OR CHORIONIC) (S) (STEM OR
                  TOTIPOTENT OR PLURIPOTENT OR MULTIPOTENTIAL)
?
S S1 AND (SSEA-4 OR SSEA4)
            2275 S1
              44 SSEA-4
              53 SSEA4
      S2
               4 S1 AND (SSEA-4 OR SSEA4)
?
RD
      s3
              3 RD (unique items)
?
T S3/3, K/ALL
  3/3, K/1
              (Item 1 from file: 155)
DIALOG(R)File 155:MEDLINE(R)
(c) format only 2006 Dialog. All rts. reserv.
           PMID: 16188450
20001444
 Amniotic mesenchymal cells autotransplanted in a porcine model of cardiac
 ischemia do not differentiate to cardiogenic phenotypes.
  Sartore Saverio; Lenzi Maddalena; Angelini Annalisa; Chiavegato Angela;
Gasparotto Lisa; De Coppi Paolo; Bianco Roberto; Gerosa Gino
  Department of Biomedical Sciences, University of Padua, Viale G. Colombo,
3, I-35121 Padua, Italy. sartore@mail.bio.unipd.it
  European journal of cardio-thoracic surgery - official journal of the
European Association for Cardio-thoracic Surgery (Germany)
                                                             Nov 2005,
 (5) p677-84, ISSN 1010-7940--Print Journal Code: 8804069
  Publishing Model Print-Electronic
  Document type: Evaluation Studies; Journal Article
  Languages: ENGLISH
  Main Citation Owner: NLM
  Record type: MEDLINE; Completed
  OBJECTIVE:
               Transplantation of
                                   stem
                                          cells in the acute ischemic
myocardium (AMI) may play a role in the recovery of cardiac function. Here,
we investigated the ability of amniotic fluid-derived mesenchymal cells
       for phenotypic conversion to vascular cells and cardiomyocytes (CM)
when...
... RESULTS: AFC showed in vitro to be of mesenchymal type also expressing
```

markers of 'embryonic stem ' cells (SSEA4 and Oct-4), as well as endothelial (von Willebrand factor, VE-cadherin) and smooth muscle... ... alpha-actin, SM22) cells. Thirty days after transplantation, in the survived AFC (5+/-1%) 'embryonic stem ' cell markers disappeared and mesenchymal cell markers were down regulated with the exception of smooth 3/3, K/2(Item 1 from file: 5) DIALOG(R)File 5:Biosis Previews(R) (c) 2006 The Thomson Corporation. All rts. reserv. BIOSIS NO.: 200400422797 0015052008 Human placenta feeder layers support undifferentiated growth of primate embryonic stem cells AUTHOR: Miyamoto Kanji (Reprint); Hayashi Kazuhiko; Suzuki Toshio; Ichihara Shinji; Yamada Tomoaki; Kano Yoshio; Yamabe Toshio; Ito Yoshihiro AUTHOR ADDRESS: Dept Syst Engn Sci, Tokyo Metropolitan Inst Technol, Asahigaoka 6-6, Tokyo, 1910065, Japan**Japan AUTHOR E-MAIL ADDRESS: kmiyamot@cc.tmit.ac.jp JOURNAL: Stem Cells (Miamisburg) 22 (4): p433-440 2004 2004 MEDIUM: print ISSN: 1066-5099 (ISSN print) DOCUMENT TYPE: Article RECORD TYPE: Abstract LANGUAGE: English ABSTRACT: Various undifferentiated embryonic stem (ES) cells can grow on mouse embryonic fibroblast (MEF) feeders. However, the risk of zoonosis ...growth of primate ES cells. As on MEF feeders, primate ES cells cultured on human amniotic epithelial (HAE) feeder cells and human chorionic plate (HCP) cells had undifferentiated growth. The cultured primate ES cells expressed Oct-4, alkaline... DESCRIPTORS: CHEMICALS & BIOCHEMICALS: ... SSEA-4 3/3, K/3(Item 2 from file: 5) DIALOG(R)File 5:Biosis Previews(R) (c) 2006 The Thomson Corporation. All rts. reserv. 0014745947 BIOSIS NO.: 200400116704 Isolation of multipotent stem cells from placenta. AUTHOR: Miki Toshio (Reprint); Lehmann Thomas (Reprint); Cai Hongbo (Reprint); Strom Stephen C (Reprint) AUTHOR ADDRESS: University of Pittsburgh, Pittsburgh, PA, USA**USA JOURNAL: Hepatology 38 (4 Suppl. 1): p290A October 2003 2003 MEDIUM: print CONFERENCE/MEETING: 54th Annual Meeting of the American Association for the

Study of Liver Diseases Boston, MA, USA October 24-28, 2003; 20031024 SPONSOR: American Association for the Study of Liver Diseases ISSN: 0270-9139 _(ISSN print) DOCUMENT TYPE: Meeting; Meeting Poster; Meeting Abstract RECORD TYPE: Abstract LANGUAGE: English

... ABSTRACT: the wide-spread availability of this therapy. Previously, we

```
have shown that human placenta derived stem cells (PDSC) differentiate
  along neural or hepatic lineages depending on the culture conditions and
  suggested that these stem cells could be a source of cells for clinical
  transplantation. Here we report on a...
...analysis showed isolated naive AE cells contains a population of cells
  which express the embryonic stem (ES) cell markers, SSEA-3, 4, TRA
  1-60, and TRA 1-81. Furthermore, the placental
                                                    stem cells formed
  embryonic body (EB)-like structure when cells were cultured on Matrigel.
  The EB...
...there should be no social, ethical or religious objections to the
  isolation and use of placental -derived stem cells.
DESCRIPTORS:
  CHEMICALS & BIOCHEMICALS:
                              ... SSEA-4
?
Set
        Items
                Description
s1
         2275
                (PLACENTAL OR AMNIOTIC OR CHORIONIC) (S) (STEM OR TOTIPOTE-
             NT OR PLURIPOTENT OR MULTIPOTENTIAL)
S2
                S1 AND (SSEA-4 OR SSEA4)
S3
            3
                RD
                   (unique items)
?
S (TOTIPOTENT OR TOTIPOTENTIAL OR PLURIPOTENTIAL OR PLURIPOTENT OR MULTIPOTENTIAL) (
            1352
                  TOTIPOTENT
             197
                  TOTIPOTENTIAL
            2467 PLURIPOTENTIAL
           11312 PLURIPOTENT
            4959 MULTIPOTENTIAL
          414799 STEM
           82732 PROGENITOR
      S4
           13256 (TOTIPOTENT OR TOTIPOTENTIAL OR PLURIPOTENTIAL OR
                  PLURIPOTENT OR MULTIPOTENTIAL) (S) (STEM OR PROGENITOR)
?
S S4 (S) (SSEA-4 OR SSEA4)
           13256 S4
              44
                 SSEA-4
              53
                  SSEA4
      S5
              11
                  S4 (S) (SSEA-4 OR SSEA4)
?
S S5 AND (PLACENTA)
              11
          128657
                  PLACENTA
      S6
               0 S5 AND (PLACENTA)
?
RD S5
               5 RD S5
      S7
                         (unique items)
?
T S7/3, K/ALL
  7/3, K/1
              (Item 1 from file: 155)
DIALOG(R) File 155: MEDLINE(R)
(c) format only 2006 Dialog. All rts. reserv.
15509502
           PMID: 15744021
```

Generation and characterization of pluripotent stem cells from cloned bovine embryos.

. Wang Li; Duan Enkui; Sung Li-ying; Jeong Byeong-Seon; Yang Xiangzhong; Tian X Cindy

Institute of Zoology, Chinese Academy of Sciences, Beijing.

Biology of reproduction (United States) Jul 2005, 73 (1) p149-55,

ISSN 0006-3363--Print Journal Code: 0207224

Publishing Model Print-Electronic Document type: Journal Article

Languages: ENGLISH

Main Citation Owner: NLM

Record type: MEDLINE; Completed

Bovine embryonic stem (ES) cell lines reported to date vary in morphology and marker expression (e.g., alkaline phosphatase [ALPL], stage-specific embryonic antigen 4 [SSEA4], and OCT4) that normally are associated with the undifferentiated, pluripotent state. These observations suggest that the proper experimental conditions for consistently producing bovine ES cells...

... of the cells within the colonies stained positive for ALPL and the cell surface markers SSEA4 and OCT4. The staining patterns of nuclear transfer ES cells were identical to those of...

... Presumably, this resulted from an interruption of the self-renewal pathway. In summary, we generated pluripotent bovine ES cells with morphology similar to those of established ES cells in humans and...

7/3,K/2 (Item 2 from file: 155)

DIALOG(R)File 155:MEDLINE(R)

(c) format only 2006 Dialog. All rts. reserv.

15284150 PMID: 15625129

Stably transfected human embryonic stem cell clones express OCT4-specific green fluorescent protein and maintain self-renewal and pluripotency.

Gerrard Lesley; Zhao Debiao; Clark A John; Cui Wei

Department of Gene Expression and Development, Roslin, Midlothian, UK.

Stem cells (Dayton, Ohio) (United States) 2005, 23 (1) p124-33,

ISSN 1066-5099--Print Journal Code: 9304532

Publishing Model Print

Document type: Journal Article

Languages: ENGLISH

Main Citation Owner: NLM

Record type: MEDLINE; Completed

Human embryonic stem cells (hESCs) are derived from the inner cell mass of preimplantation embryos; they can be...

... ES cells. These OCT4-EGFP clonal cell lines exhibit features similar to parental hESCs, are pluripotent, and are able to produce all three embryonic germ layer cells. Expression of OCT4-EGFP is colocalized with endogenous OCT4, as well as the hESC surface antigens SSEA4 and Tra-1-60. In addition, the expression is retained in culture for an extensive...

7/3,K/3 (Item 3 from file: 155)

DIALOG(R) File 155:MEDLINE(R)

(c) format only 2006 Dialog. All rts. reserv.

13764435 PMID: 12033729

Surface antigens of human embryonic stem cells: changes upon differentiation in culture.

Draper Jonathan S; Pigott Christine; Thomson James A; Andrews Peter W Department of Biomedical Science, University of Sheffield, UK.

Journal of anatomy (England) Mar 2002, 200 (Pt 3) p249-58, ISSN 0021-8782--Print Journal Code: 0137162

Publishing Model Print

Document type: Journal Article

Languages: ENGLISH

Main Citation Owner: NLM

Record type: MEDLINE; Completed

We have analysed the surface antigen phenotype of a human embryonic stem (hES) cell line (H7) and the changes that occur upon differentiation induced by retinoic acid, hexamethylene bisacetamide and dimethylsulphoxide. The undifferentiated stem cells expressed Stage Specific Embryonic Antigen-3 (SSEA3), SSEA4, TRA-1-60, and TRA-1-8 but not SSEA1. In these characteristics they closely...

... differentiated cells, although the induction in the differentiated cultures was considerably stronger than in the stem cells. In all of these features the human ES cells, and their pattern of differentiation, resembled the pluripotent human EC cell line NTERA-2 although clearly the range of cells generated by the...

7/3,K/4 (Item 1 from file: 5)

DIALOG(R) File 5: Biosis Previews(R)

(c) 2006 The Thomson Corporation. All rts. reserv.

0015619302 BIOSIS NO.: 200510313802

Electrophysiological properties of pluripotent human and mouse embryonic stem cells

AUTHOR: Wang Kai (Reprint); Xue Tian; Tsang Suk Y; Wong Johnny; Cheng Lin Z; Li Gui R; Zhang Janet; Lau Chu P; Li Ronald A; Tse Hung F

AUTHOR ADDRESS: Univ Hong Kong, Hong Kong, Hong Kong, Peoples R China**
Peoples R China

JOURNAL: Circulation 110 (17, Suppl. S): p46-47 OCT 26 2004 2004

CONFERENCE/MEETING: 77th Scientific Meeting of the

American-Heart-Association New Orleans, LA, USA November 07 -10, 2004;

20041107

SPONSOR: Amer Heart Assoc

ISSN: 0009-7322

DOCUMENT TYPE: Meeting; Meeting Abstract

RECORD TYPE: Abstract LANGUAGE: English

ABSTRACT: Direct injection of pluripotent embryonic stem cells (ESCs) after myocardial infarction has been suggested as a means to repair the damaged...

...and H1 lines, respectively) was confirmed by immunostaining for markers such as Oct4, SSEA-1; SSEA4, TRA-60 and TRA-80. In mESCs, depolarization-activated delayed rectifier K+ currents (IKDR; 8...

7/3,K/5 (Item 2 from file: 5)

DIALOG(R) File 5:Biosis Previews(R)

(c) 2006 The Thomson Corporation. All rts. reserv.

0013605492 BIOSIS NO.: 200200199003

```
Detection of unrestricted multipotential stem cells in human cord blood
AUTHOR: Wernet Peter (Reprint); Fischer Johannes (Reprint); Knipper Andreas
  ; Degistrici Oezer; Koegler Gesine (Reprint)
AUTHOR ADDRESS: Institute for Transplantation Diagnostic and Cell
  Therapeutics, University Medical Center, Duesseldorf, Germany**Germany
JOURNAL: Blood 98 (11 Part 1): p550a November 16, 2001 2001
MEDIUM: print
CONFERENCE/MEETING: 43rd Annual Meeting of the American Society of
Hematology, Part 1 Orlando, Florida, USA December 07-11, 2001; 20011207
SPONSOR: American Society of Hematology
ISSN: 0006-4971
DOCUMENT TYPE: Meeting; Meeting Abstract; Meeting Poster
RECORD TYPE: Abstract
LANGUAGE: English
... ABSTRACT: cells were not differentiating under these conditions and
  remarkably displayed the embryonic cell surface antigen SSEA4 , but were
  negative for CD45, HLA class I and II as well. Employing distinct in...
...differences were apparent. PEI induced adherent cells strongly
  proliferated without differentiation and continued to express SSEA4 ,
  whilst DAG induced cultures lost SSEA4 and accumulated distinct
  transcription factors. PEI induced cells continued to be positive for
  transcription factors...
...not yet been analyzed on a clonal level, they demonstrate the presence
  of very early multipotential
                                 stem cells in cord blood which are much
  more potent in their differentiation plasticity as the so called
  mesenchymal stem cells observed in human bone marrow. These
  unrestricted CB stem cells appear to be excellent candidates for the
  development of regenerative therapeutics.
Set
        Items
                Description
S1
                (PLACENTAL OR AMNIOTIC OR CHORIONIC) (S) (STEM OR TOTIPOTE-
            NT OR PLURIPOTENT OR MULTIPOTENTIAL)
S2
            4
                S1 AND (SSEA-4 OR SSEA4)
s3
            3
               RD
                   (unique items)
S4
        13256
                (TOTIPOTENT OR TOTIPOTENTIAL OR PLURIPOTENTIAL OR PLURIPOT-
            ENT OR MULTIPOTENTIAL) (S) (STEM OR PROGENITOR)
S5
           11
               S4 (S) (SSEA-4 OR SSEA4)
S6
                S5 AND (PLACENTA)
s7
            5
               RD S5 (unique items)
?
COST
       14jun06 16:43:44 User259876 Session D885.2
                   0.575 DialUnits File155
               $0.88 4 Type(s) in Format 3
            $0.88 4 Types
     $2.83 Estimated cost File155
            $2.53
                     0.430 DialUnits File5
               $0.64 4 Type(s) in Format 95 (KWIC)
           $0.64 4 Types
     $3.17 Estimated cost File5
           $4.37
                     0.391 DialUnits File73
     $4.37
           Estimated cost File73
           OneSearch, 3 files, 1.395 DialUnits FileOS
```

\$1.86 INTERNET

\$12.23 Estimated cost this search
\$13.12 Estimated total session cost 1.636 DialUnits

Return to logon page!



PALM INTRANET

Day: Wednesday

Date: 6/14/2006 Time: 16:32:57

Inventor Name Search

Enter the first few letters of the Inventor's Last Name. Additionally, enter the first few letters of the Inventor's First name.

Last Name	First Name	
Strom	Stephen	Search

To go back use Back button on your browser toolbar.

Back to PALM | ASSIGNMENT | OASIS | Home page



PALM INTRANET

Day: Wednesday

Date: 6/14/2006 Time: 16:32:57

Inventor Name Search

Enter the first few letters of the Inventor's Last Name. Additionally, enter the first few letters of the Inventor's First name.

Last Name	First Name	
Miki	Toshio	Search

To go back use Back button on your browser toolbar.

Back to $\underline{PALM} \mid \underline{ASSiGNMENT} \mid \underline{OASIS} \mid Home page$